

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alcassedan, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/751,230	01/02/2004	Jinbo Xu	GLH 08-896943	1114
27667 HAYES SOLO	7667 7590 07/16/2010 HAYES SOLOWAY P.C.		EXAMINER	
3450 E. SUNR	ISE DRIVE, SUITE 14	0	BORIN, MICHAEL L	ICHAEL L
TUCSON, AZ	85718		ART UNIT	PAPER NUMBER
			1631	
			NOTIFICATION DATE	DELIVERY MODE
			07/16/2010	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

admin@hayes-soloway.com smckniff@hayes-soloway.com nsoloway@hayes-soloway.com



## UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria. Virginia 22313-1450

APPLICATION NO./ FILING DATE FIRST NAMED INVENTOR / ATTORNEY DOCKET NO. CONTROL NO. PATENT IN REEXAMINATION

 CONTROL NO.
 PATENT IN REEXAMINAT

 10751230
 1/2/04
 XU ET AL.

GLH 08-896943

HAYES SOLOWAY P.C. 3450 E. SUNRISE DRIVE, SUITE 140 TUCSON, AZ 85718

EXAMINER  Michael Borin					
	1631	20100713			

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

## Commissioner for Patents

Request for resetting time time for respond filed 10/23/2009 is not granted for the following reason: Applicant points out at the blank form PTO-892 and requests issuance of a "corrected Action". However, it is clear from the office action that no new prior at have been cited, and, therefore, that the enclosure of PTO-892 is due to inadvertent error and does not effect prosecution of the application in a duly manner, and does not require an issuance of a "corrected Action".

/Michael Borin/ Primary Examiner, Art Unit 1631